



 $\star$ 

ADVANCED TECHNOLOGY PROTECTS AT THE NAND LEVEL CORROSION FIGHTER FOAMING ACTION NON-FLAMMABLE

PENETRATING

DANGER: HARMFUL OR FATAL IF SWALLOWER EVE & SKIN IRRITANT, CONTENTS UNDER PRESSINE READ PRECAUTIONS ON BACK PANEL NET WT 11 OZ (311 g)

# PENETRATING LUBRICANT

Only non-flammable Nano penetrating oil on the market.

- Protects against corrosion and rust at the Nano level.
- Prolongs equipment life far better than traditional lubricants.
- Reduces friction to extraordinarily low levels to reduce wear and improve efficiency.
- Penetrates deeply to break friction welds.
- Lubricates to reduce maintenance time and extends repair cycles.
- Resistant to moisture and chemicals.
- Cuts through grease.
- Quickly penetrates corrosion.
- Foaming action for 100% coverage.
- Excellent penetration and creep properties.

Works great on locks, rusted nuts, bolts, and sliding mechanisms.

Perfect for use on Aviation, Auto, Industrial, Marine and Other Mechanical Equipment.









### DRY LUBRICANT

- Prolongs equipment life far better than traditional lubricants.
- No oily residue. Nonstick.
- Moisture-displacing film leaves white powder.
- Dries fast to prevent the collection of dirt and dust.
- Ozone friendly CFC and Tricholethane free.
- Perfect for polymers and ceramics.
- Protects against corrosion and rust at the Nano level.
- Reduces friction to extraordinarily low levels to reduce wear and improve efficiency.
- Penetrates deeply to break friction welds.
- Lubricates to reduce maintenance time and extends repair cycles.

Works great on Garage Doors, RV Slide-outs, Hinges, Gears, Chains, Ignition, Motors, Firearms, Reciprocating Sliding Mechanisms and Window Tracks.

Perfect for use on Aviation, Auto, Industrial, Marine and Other Mechanical Equipment.

Pro MT



#### TESTED MILITARY Apache Helicoptor R&D Team TOUGH



## **OIL STABILIZER**

- Extends oil life up to 100%.
- Improves horsepower.
- Protects against friction and engine wear.
- Protects against viscosity breakdown.
- Improves oil pressure and reduces temperature.
- Reduces dry starts.
- Reduces knocking.
- Compatible with synthetics.
- Up to 40% reduction in scarring in the 4-Ball Wear Test.
- Up to 68% reduction in wear metals.
- Up to 60% faster in reducing oil temperatures.
- Anti-foaming qualities to increase performance.

Works great and field-tested on Race Cars, Conventional Cars, SUV's & Trucks, Marine Engines, RV, Industrial Motors, Class 1-8 Trucks and Buses.







NAN9

CELON THEF UP TO SERVICE 25% MINISTER - CLARKER TO

SYNTHETIC GEAR OIL

ELECTRONIC & CALL, LEWIS , TONC IN CONTACT BUR ELECTRONIC AT ANY ANY ANY ANY ANY NET 32 FL 02 (1946 m4.) 3-93-83-6-

AH-64 Apache Helicoptor R&D Team

# **75W90 SYNTHETIC GEAR OIL**

- Increases thermal conductivity by up to 11%.
- Increases viscosity by up to 12%.
- Protects against viscosity breakdown.
- Up to 40% reduction in scarring in the 4-Ball Wear Test.
- Extends gear oil life up to 100%.
- Up to 16% increase in load capacity to failure.
- Up to 60% faster in reducing gear oil temps.
- Up to 25% reduction in gearbox temperature.
- Anti-foaming qualities to increase performance.
- Compatible with synthetics.

Works great and has been field-tested on Race Cars, Conventional Cars, SUV's, Trucks, RV, Marine Outdrives, Industrial Gear sets, Liquid Bath Wheel Hubs, Class 1-8 Trucks and Buses.





TESTED MILITARY TOUGH



★

AUVANCED TECHNOLOGY PROTECTS AT THE NAND LEVEL DPERATING RANGE -40° TO SOU F High Temp Life >1,000 Hours\* Oropping Point >500° F





## High-Temp Extreme Pressure Grease

- Reduces wear and increases equipment efficiencies
- Outstanding high-temperature and low temperature performance.
- Superb thermal stability and oxidation resistance.
- Excellent protection against wear, rust and corrosion.
- Excellent pumpability.
- Outstanding structural stability in the presence of water.
- Low coefficient of friction.
- Stabilizes grease temperature and increases thermal conductivity.
- Reduces equipment wear.
- Extends lubrication intervals.

Works great and has been field-tested on Race Cars, Conventional Cars, SUV's, Trucks, RV, Industrial Bearings, Class 1-8 Trucks and Buses. Perfect for high-speed and low-speed bearings and main bearings under heavy loads.



Conor Daly Nano Racing Team Indycar Series



ncercenter.co





PROTECTS AT THE NAND LEVEL CORROSION FIGHTER Extreme thermal stability and oxidation protection water resistant UPERATING RANGE -40' TO 500'F

MARINE

GREASE

CALCIUM SULFONATE

NA

NET WT 140

NLQI ICUI

CRAINS:

## **Marine Grease**

- Superior friction, rust & corrosion protection.
- Designed for light and heavy duty trailer wheel bearings.
- Excellent thermal stability and oxidation resistance.
- Corrosion protection from road salt and harsh marine environments.
- Extends maintenance cycles.
- Highly adhesive and cohesive structure.
- Resistance to thermal, oxidative and structural degradation at high temperature applications.
- Protection of lubricated parts even in hostile aqueous environments.
- Enhance bearing protection in high temperature applications.
- Operating range of -40°F to +500°F (-40°C to +260°C)

Works great for pumps, winches, Class 1-8 trailer fifth wheels, wheel bearings, and landing gear. Perfect for Marine use outboards and lower units.

Pro MT





NANO

SERVICE THERMAL STANDART

NO WOR ANY COLOR AND REAL

SEE CAUTIONS DW BACK PANEL NET 16 FL OZ (473 mL)

IREE WITH ALL

AH-64 Apache Helicoptor R&D Team

# High-Performance Heat Transfer Coolant

- Reduces or eliminates bubbles or vapor barrier (cavitation) that form on hot metal surfaces to reduce coolant temperatures by up to 12°F (-11°C).
- Increases horsepower.
- Extends engine life.
- Superior heat transfer properties compared to glycol-based antifreeze.
- Compatible with new or used antifreeze to improve the heat transfer of ethylene and propylene glycol systems.
- Improves heat transfer and reduces cylinder head temperature.
- Reduces engine oil temperature.
- Nano Cool contains lubricity enhancers for improved water pump reliability.
- Increase thermal uptake and viscosity for better flow and heat transfer.

Perfect for use in high revving street, off-road, motorcycles, ATV, Marine engines. Engineered for today's cast iron, copper, aluminum, brass and bronze cooling systems.

Proven in open wheel and stock car racing.



